

Tytuł: Sepsa i wstrząs septyczny u dzieci w świetle wytycznych „Kampanii na Rzecz Przeżycia Sepsy” / Sepsis and septic shock in children in the light of the “Survival Sepsis Campaign” guidelines

Słowa kluczowe: DZIECKO KATECHOLAMINY RESUSCYTACJA PŁYNOWA SEPSA WSTRZĄS
Keywords: CHILD SHOCK SEPSIS FLUID RESUSCITATION CATECHOLAMINES

Autorzy:

prof. dr hab. Andrzej Piotrowski - <p>kierownik Kliniki Intensywnej Terapii Uniwersytetu Medycznego w Łodzi</p>

Streszczenie:

Artykuł stanowi zwięzłe podsumowanie objawów i aktualnych zasad leczenia sepsy u dzieci. Zasady te opierają się na wytycznych „Kampanii na Rzecz Przeżycia Sepsy” i obejmują: tlenoterapię, resuscytację płynową, podanie antybiotyków, wlewy katecholamin, usunięcie ogniska infekcji i leczenie wspomagające. O sukcesie terapii w dużym stopniu decyduje czas od zachorowania do postawienia rozpoznania i szybkiego wyprowadzenia pacjenta ze wstrząsu.

Abstract:

This article is a brief summary of typical symptoms and current guidelines of treatment of sepsis in childhood. Guidelines are based on the recommendations by the “Survival Sepsis Campaign” and contain: early recognition, oxygen administration, fluid resuscitation, and antibiotic administration, the use of catecholamines, source control and adjunctive therapy. The success of treatment depends strongly on the time from first symptoms to recognition, and the speed and appropriateness of therapy in the initial hours after sepsis develops.